Google scholar | (XML OR HTML OR SGML OR zip file) director | Search |
Advanced Scholar Search
Scholar Preferences

Scholar | Articles and patents | | anytime | | include citations | ☑ Create email alert Results **1 - 10** of about **187,000**. (**0.34** sec)

[PDF] W3QS: A query system for the world-wide web
psu.edu [PDF]
D Konopnicki, O Shmueli - ... of the International Conference on Very ..., 1995 - Citeseer
... node b if: 1. the **file** with URL a is in **HTML** format, and 2. the **file** with URL a contains
at least one anchor that points to node b. A path is a set of nodes {VI,..., vk} such
that (Vi, %+1), 1 I i < k, are edges of the graph. A graph pattern ...
Cited by 419 - Related articles - View as HTML - SL Direct - All 14 versions

Proxy server caching mechanism that provides a **file directory structure** and a mapping mechanism within the **file directory structure**
A Luotonen - US Patent 5,864,852, 1999 - Google Patents
... and no given **directory** could be con- sidered "average." For example, some directories might
contain only GIF images, whereas others would contain only **HTML files** (HyperText Markup ... 4
is a schematic representation of a **file directory** showing a GIF **file structure** according to ...
Cited by 34 - Related articles

[PDF] ORTEP-3 for Windows
gla.ac.uk [PDF]
LJ Farrugia - J. Appl. Crystallogr, 1997 - chem.gla.ac.uk
... http://www.chem.gla.ac.uk/~louis/software/faq/q1.**html** ... If General Preference #3 is NOT activated,
then all these **files** are written to the home **directory**, with names which ... 5.1.1 Open **File** As explained
above, this menu item must be selected when a new **structure file** is to be input. ...
Cited by 14611 - Related articles - View as HTML - All 7 versions

[PDF] Reverse engineering to achieve maintainable WWW sites
psu.edu [PDF]
C Boldyreff, R Kewish - Proc. of the 8th Working Conference on Reverse ... - Citeseer
... As scripts and CSS **files** contain large amounts of textual data. This data is imported
into the **HTML file** by reference. ... This is avoided by storing all linked **files** in the **directory**
structure and storing a reference to the **file** in the database. ...
Cited by 54 - Related articles - View as HTML - All 7 versions

[BOOK] Distributed systems
psu.edu [PDF]
AS Tanenbaum, M Van Steen - 2002 - Citeseer
... Activity.**html** http://www.w3c.org/Protocols/Activity.**html** http://www.google.comlsearch?q=kindberg ...
1000 Mbps Ethernet Eswitch: Ethernet switch 100 Mbps Ethernet **file** server/ gateway printers
Campus router ... ATM cell layout Flags Data Virtual channel id Virtual path id 53 bytes ...
Cited by 1727 - Related articles - View as HTML - Library Search - All 45 versions

Fast and secure distributed read-only **file** system

K Fu, MF Kaashoek, D Mazieres - ACM Transactions on Computer ..., 2002 - portal.acm.org
... It is a hash of the root **directory's** inode **structure**, which through recursive use of H specifies
the **contents** of the entire **file** system, as described below. fhdb is the hash of the root of a
tree that contains every handle reachable from the root **directory**. ...
Cited by 247 - Related articles - BL Direct - All 73 versions

The wikipedia **xml** corpus

L Denoyer, P Gallinari - ACM SIGIR Forum, 2006 - portal.acm.org
... edit an article using a wiki markup language that offers a simplified alternative to **HTML**. ... English
Single-Label Categorization Collection - **XML** Document Mining Collection We provide a specific
collection ... The **directory** relfiles contains one **file** per category giv- ing the id of the ...
Cited by 272 - Related articles - BL Direct - All 16 versions

MySRB and SRB-components of a data grid

A Rajasekar, M Wan, R Moore - 11th IEEE International ..., 2002 - ieeexplore.ieee.org
... prints the result as a relational table in **HTML** format, the second template HTMLNEST, prints
the result as a nested table in **HTML**, and the third template XMLREL, prints the result in **XML**
using a ... In this case, the user specifies a **file** already in SRB as the style-sheet **file**. ...
Cited by 137 - Related articles - All 21 versions

The use of web **structure** and **content** to identify subjectively interesting web usage patterns

R Cooley - ACM Transactions on Internet Technology (TOIT), 2003 - portal.acm.org
... Unless **XML** tags are used to add semantic **structure** to a Web site, the problem of ... certain steps
has changed dramatically as Web sites have moved from static **HTML** served directly ... Page view
identification determines which page **file** requests are part of the same page view and ...
Cited by 84 - Related articles - All 3 versions

The bittorrent p2p **file**-sharing system: Measurements and analysis

J Pouwelse, P Garbacki, D Epema, H Sips - Peer-to-Peer Systems IV, 2005 - Springer
... a unique infrastructure that uses mirroring of the web servers with its **directory structure**,
meta-data ... technique for fair resource sharing, and a P2P moderation system to filter fake **files**. ...
measures the availability and response time of the Suprnova mirrors, the **HTML** script which ...
Cited by 435 - Related articles - BL Direct - All 48 versions

✉ Create email alert

Gooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

[(XML OR HTML OR SGML OR zip f] [Search]

Google scholar

(XML OR HTML OR SGML OR zip file) director | Search |

Advanced Scholar Search
Scholar Preferences

Scholar | Articles and patents | | anytime | | include citations | ⊠ Create email alert Results **11** - **20** of about **187,000**. **(0.23** sec)

[HTML] Opportunistic use of **content** addressable storage for distributed **file** systems

usenix.org [HTML]

N Tolia, M Kozuch, M Satyanarayanan, B ... · Proceedings of the ..., 2003 - usenix.org
... After interpreting the **XML** data it received, the proxy queries both the client's local cache as well
as any nearby jukeboxes for the hashes present in the recipe ... Beginning with the original source
tree, the scripts recreate the original **directory structure**, executes a bulk **file** copy of ...
Cited by 74 - Related articles - Cached - All 55 versions

[PDF] GENVL and WWWW: Tools for Taming the Web

psu.edu [PDF]

OA McBryan - Proceedings of the First International World Wide Web ..., 1994 - Citeseer
... Each VL in GENVL is stored in a separate **directory**, a subdirectory of the VL that created
it. Each such **directory** contains a **file** summary.**html** which describes all postings in that
VL, and which is the main access point from WWW to that VL. ...
Cited by 213 - Related articles - View as HTML - All 14 versions

---

Venti: a new approach to archival storage

eurecom.fr [PDF]

S Quinlan, S Dorward - ... of the FAST 2002 Conference on **File** and ..., 2002 - usenix.org
... a collection of **files** and directories as a single object, similar in functionality to the utilities tar and
zip. ... There is sufficient information to reconstruct the **structure** of the **file** system and to track the
daily ... The traces are available at http://www.cs.bell-labs.com/~seanq/p9trace.**html**. ...
Cited by 328 - Related articles - All 55 versions

Visualizing websites using a hierarchical table of

umd.edu [PDF]

DA Nation, C Plaisant, G Marchionini, A ... - The craft of information ..., 2003 - books.google.com
... **html**", h," Treemap" &ltR&gt95749," DemoPics/treeviz. ... edu/pub/hcil/Demos/Treeviz/", h," Treevis
Demos" </HL>/projects/hcil/Research/ </HL>/projects/hcil/ </HDIR> As mentioned earlier WebTOC
can also generate the TOC **file** from the underlying **directory structure** of the ...
Cited by 89 - Related articles - All 13 versions

Conceptualizing documentation on the Web: An evaluation of different heuristic-based models for counting links between

psu.edu [PDF]

university Web sites

M Thelwall - Journal of the American Society for Information ..., 2002 - interscience.wiley.com
... an algorithm to automatically merge "similar" Web pages into documents for counting purposes,
probably based upon both their **content** and enveloping link **structure**. ... This makes the **directory**
or folder a plausible level of aggregation of **HTML files** into documents, in ...
Cited by 135 - Related articles - BL Direct - All 16 versions

AGG: A tool environment for algebraic graph transformation

G Taentzer - Applications of Graph Transformations with Industrial ..., 2000 - Springer

... It is possible to have more than one graph grammar loaded. The grammars and their **contents**
are visualized Page 3. ... To visualize the **directory structure** to browse **HTML files** we use three dif-
ferent node types (cf. Figure 1), "**Directory**", "HtmlFile", and "Browser". ...

Cited by 75 - Related articles - BL Direct - All 12 versions

From databases to dataspaces: a new abstraction for information management

M Franklin, A Halevy, D Maier - ACM Sigmod Record, 2005 - portal.acm.org

... value in a database, element in a schema or tag in **XML file**). ... Location of participants can take
several forms, such as starting a traversal from the root of a **directory structure**, or trying ... The
component should perform an initial classification according to participant type and **content**. ...

Cited by 238 - Related articles - BL Direct - All 30 versions

FARSITE: Federated, available, and reliable storage for an incompletely trusted environment

A Adya, WJ Bolosky, M Castro, G Cermak, R ... - ACM SIGOPS ..., 2002 - portal.acm.org

... A certificate is a semantically meaningful data **structure** that has been signed using a private
key. ... For the moment, imagine that the **directory** group manages all of the **file**-system data
and metadata, storing it redundantly on all machines in the group. ...

Cited by 581 - Related articles - BL Direct - All 70 versions

The Pfam protein families database

A Bateman, E Birney, L Cerruti, R Durbin, L ... - Nucleic acids ..., 2002 - Oxford Univ Press

... in detail at http://www.cgb.ki.se/cgb/groups/sonnhammer/Stockholm.**html**, and the ... The traditional
implementation of Pfam, as a **directory-structure** of text **files**, one **directory** for each ... However, the
text **file** based implementation is not well suited to performing cross-family queries ...

Cited by 5128 - Related articles - BL Direct - All 75 versions

[PDF] Integrating content-based access mechanisms with hierarchical file systems

B Gopal - 1997 - Citeseer

... struct **HTML** pages to display the results of searches, they do not allow users to organize and
re-use these pages in any meaningful way. ... The Semantic **File** System (SFS) developed at MIT
23] is one of the rst hierarchical le ... introducing the concept of a virtual **directory**. ...

Cited by 110 - Related articles - View as HTML - BL Direct - All 92 versions

☒ Create email alert

(XML OR HTML OR SGML OR zip f [Search]

Google scholar   [(XML OR HTML OR SGML OR zip file) director| Search   Advanced Scholar Search
                                                                       Scholar Preferences

Scholar | Articles and patents | | anytime | | include citations | ☒ Create email alert   Results **1 - 10** of about **22,100**. (**0.26** sec)

[BOOK] Distributed systems   psu.edu [PDF]

AS Tanenbaum, M Van Steen - 2002 - Citeseer
... Activity.**html** http://www.w3c.org/Protocols/Activity.**html** http://www.google.comlsearch?q=kindberg ...
1000 Mbps Ethernet Eswitch: Ethernet switch 100 Mbps Ethernet **file** server/ gateway printers
Campus router ... ATM cell layout Flags Data Virtual channel id Virtual path id 53 bytes ...
Cited by 1727 - Related articles - View as HTML - Library Search - All 45 versions

Fast and secure distributed read-only **file** system   psu.edu [PDF]

K Fu, MF Kaashoek, D Mazieres - ACM Transactions on Computer ..., 2002 - portal.acm.org
... systems. rootfh is the handle of the **file** system's root **directory**. It is a hash of the
root **directory's** inode **structure**, which through recursive use of H specifies the
contents of the entire **file** system, as described below. fhdb ...
Cited by 247 - Related articles - BL Direct - All 73 versions

Separating key management from **file** system security   psu.edu [PDF]

D Mazieres, M Kaminsky, MF Kaashoek, E ... - ACM SIGOPS ..., 1999 - portal.acm.org
... With shells that support the cdpath variable, users can add this sfs-bookmarks **directory** to their ...
This **file** system would in turn contain symbolic links to other SFS **file** systems, so that, for ...
implemented a dialect of the SFS protocol that allows servers to prove the **contents** of public ...
Cited by 324 - Related articles - BL Direct - All 57 versions

[PDF] Integrating **content**-based access mechanisms with hierarchical **file** systems   psu.edu [PDF]

B Gopal - 1997 - Citeseer
... struct **HTML** pages to display the results of searches, they do not allow users to organize and
re-use these pages in any meaningful way. ... The Semantic **File** System (SFS) developed at MIT
23] is one of the rst hierarchical le ... introducing the concept of a virtual **directory**. ...
Cited by 110 - Related articles - View as HTML - BL Direct - All 82 versions

Xbase: Making your gigabyte disk queriable

H Lu, G Wang, G Yu, Y Bao, J Lv, Y Yu - Proceedings of the 2002 ..., 2002 - portal.acm.org
... The current version of XBase stores text-based **files**, including semi-structured data such as **XML**,
HTML, plain text documents (eg, tex **files**, computer programs) and ... A particular **file** can also be
viewed from the explorer. ... They can be accessed using **XML** query language, XQuery ...
Cited by 17 - Related articles - All 2 versions

psu.edu [PDF]

File system usage in Windows NT 4.0

W Vogels - Proceedings of the seventeenth ACM symposium on ..., 1999 - portal.acm.org
... 5 **File** system **content** characteristics To accurately analyze the real-time tracing results we needed to examine the characteristics of the set of **files** that were to be ... We collected **file** names and sizes, and creation and access times, as well as **directory structure** and sizes. ...
Cited by 184 - Related articles - BL Direct - All 49 versions

ROOT--An object oriented data analysis framework

cern.ch [PDF]

R Brun, F Rademakers - Nuclear Instruments and Methods in Physics ..., 1997 - Elsevier
... The documentation classes allow the creation of hyperized (in **HTML** format) C++ header and source **files**, inheritance trees, class indices, macros and session transcripts. ... The first logical record on a **file** always contains the description of the top level **directory** of the **file**. ...
Cited by 700 - Related articles - All 18 versions

Long term distributed file reference tracing: Implementation and experience

psu.edu [PDF]

L Mummert, M Satyanarayanan - Software: Practice and ..., 1996 - interscience.wiley.com
... The identity of the **file** system containing the referenced object is also * An inode is a data **structure** that describes the **file**.20 Page 7. ... For example, an open might create a new **file**, so we record information on the parent **directory** of the **file**. ...
Cited by 117 - Related articles - BL Direct - All 24 versions

PRCS: The project revision control system

psu.edu [PDF]

J MacDonald, PN Hilfinger, L Semenzato - System Configuration ..., 1998 - Springer
... by code to manage locking and unlocking of RCS **files** and placing or linking **files** into the correct path before performing ... and delta algorithm implementation described in (§8) is available at http://www.xcf.berkeley.edu/~jmacd/xdelta.**html**. ... [4] Seiwald, C. Inter-**file** branching — A ...
Cited by 39 - Related articles - BL Direct - All 24 versions

[PDF] What's in Unison? A formal specification and reference implementation of a file synchronizer

upenn.edu [PDF]

BC Pierce, J Vouillon - Technical Repor MS-CIS-03-36, ..., 2004 - repository.upenn.edu
... For the sake of brevity, we present here a simplified core of the actual reference implementation, omitting **file** and **directory** metadata, symbolic ... Update detection: The function buildUpdates compares an archive o with a filesystem a. It returns a data **structure** uia describing ...
Cited by 45 - Related articles - All 3 versions

✉ Create email alert

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

(XML OR HTML OR SGML OR zip f Search

Google scholar

(XML OR HTML OR SGML OR zip file) director   Search

Advanced Scholar Search
Scholar Preferences

Scholar   Articles and patents   anytime   include citations   ☑ Create email alert Results **11 - 20** of about **22,100**. **(0.18** sec)

Presto: an experimental architecture for fluid interactive document spaces

psu.edu [PDF]

P Dourish, WK Edwards, A LaMarca, M ... - ACM Transactions on ..., 1999 - portal.acm.org
... of this model to incorporate Java Beans, such as for images and **HTML files**, that can ... system,
the Presto database remains up-to-date, because Presto is the **file** system. ... Appropriately formatted
directory names are interpreted as queries, which appear to "contain" the documents ...
Cited by 202 - Related articles - BL Direct - All 20 versions

A five-year study of **file**-system metadata

usenix.org [HTML]

N Agrawal, WJ Bolosky, JR Douceur, JR ... - ACM Transactions on ..., 2007 - portal.acm.org
... modification. We present a generative model that explains the namespace **structure**
and the distribution of **directory** sizes. We ... capacities. We give examples of consequent
lessons for designers of **file** systems and related software. ...
Cited by 86 - Related articles - All 20 versions

[PDF] A 64-bit, shared disk **file** system for Linux

psu.edu [PDF]

KW Preslan, AP Barry, JE Brassow, GM ... - Proceedings of the 16th ..., 1999 - Citeseer
... Inode #: 5 Name: datafile1 Inode #: 3 Hash: 0010 Name: index.**html** Inode #: 23 Hash: 0011 ...
4.1.3 Access Times Assuming a 4096-byte block size and 280-byte **directory** entries, a GFS
ExHash **directory** can hold up to about 1700 **files** and find any **file** in one block read. ...
Cited by 116 - Related articles - View as HTML - All 18 versions

IRON **file** systems

psu.edu [PDF]

... , N Agrawal, HS Gunawi, AC Arpaci- ... - Proceedings of the ..., 2005 - portal.acm.org
... Purpose inode Info about **files** and directories **directory** List of **files** in **directory** data bitmap ... for
large **files** to exist data Holds user data super Contains info about **file** system group ... revoke Tracks
blocks that will not be replayed journal **descriptor** Describes **contents** of transaction ...
Cited by 101 - Related articles - BL Direct - All 20 versions

[CITATION] **File** structures: an object-oriented approach with C++
MJ Folk, B Zoellick, G Riccardi - 2006 - Pearson Education India
Cited by 46 - Related articles - All 5 versions

[PDF] Group sharing and random access in cryptographic storage **file** systems

psu.edu [PDF]

KE Fu - 1999 - Citeseer
... table, and data blocks. Figure 1-1 shows the arrangement of structures on a partition. We explain
each **structure** below. Disk ... by an inode which contains metadata necessary to locate the **contents**

of the **file**. An ... Common **file** types include: regular **file**, **directory**, and symbolic link. ...
Cited by 74 - Related articles - View as HTML - All 17 versions

[PDF] An MPEG-7 tool for compression and streaming of **XML** data
psu.edu [PDF]

U Niedermeier, J Heuer, A Hutter, W Stechele, ... - ... on Multimedia and Expo, 2002 - Citeseer
... of the binary format the technique works not only for MPEG-7, but for all **XML** documents, that
are ... home page: http://mpeg.telecomitalialab.com [5] http://www.research.att.com/sw/tools/xmill/
technique.**html File** Original size Fragment payload Path absolute Path relative XMill **ZIP** ...
Cited by 48 - Related articles - View as HTML - All 10 versions

The Greenstone plugin architecture
psu.edu [PDF]

IH Witten, D Bainbridge, G Paynter, S ... - ... of the 2nd ACM/IEEE-CS ..., 2002 - portal.acm.org
... Microsoft Word documents, to take just one example of a document type, are processed into
Greenstone's standard **XML** form by a "markup" plugin called WORDPlug. ... HTMLPlug **HTML**,
replacing hyperlinks appropriately. ... SplitPlug Splits a document **file** into parts. ...
Cited by 18 - Related articles - All 10 versions

[PDF] The PROSITE database, its status in 1997
nih.gov [PDF]

A Bairoch, P Bucher, K Hofmann - Nucleic Acids Research, 1997 - ncbi.nlm.nih.gov
... Loads a profile from a **file** and scans for it in a SWISS-PROT data base **file**. ... tools are available
by anonymous FTP from the server ulrec3.unil.ch in the **directory** /pub/pftools.. ... documentation
and data entries by opening the URL: http://expasy.hcuge.ch/sprot/prosite.**html** To use ...
Cited by 713 - Related articles - BL Direct - All 14 versions

A comparison of text and shape matching for retrieval of online 3D models
psu.edu [PDF]

P Min, M Kazhdan, T Funkhouser - Research and Advanced Technology ..., 2004 - Springer
... 747 5. URL path: These are the **directory** names of the full URL to the model **file**. If multiple
models are organized in a **directory structure**, the **directory** names could be category names helpful
for ... text after the tag until the next <a href> tag (or until the next **HTML** tag if ...
Cited by 35 - Related articles - BL Direct - All 22 versions

⊠ Create email alert

◀ Goooooooooogle ▶

Result Page: **Previous** 1 2 3 4 5 6 7 8 9 10 11 **Next**

[XML OR HTML OR SGML OR zip f] [Search]

Go to Google Home - About Google - About Google Scholar

©2010 Google

Google scholar [(XML OR HTML OR SGML OR zip file) director] [Search] Advanced Scholar Search
Scholar Preferences

Scholar [Articles and patents] [anytime] [include citations] ☒ Create email alert Results 1 - 10 of about 13,500. (0.23 sec)

[BOOK] Distributed systems   psu.edu [PDF]

AS Tanenbaum, M Van Steen - 2002 - Citeseer
... Activity.**html** http://www.w3c.org/Protocols/Activity.**html** http://www.google.comlsearch?q=kindberg ...
1000 Mbps Ethernet Eswitch: Ethernet switch 100 Mbps Ethernet **file server**/ gateway printers
Campus router ... ATM cell layout Flags Data Virtual channel id Virtual path id 53 bytes ...
Cited by 1727 - Related articles - View as HTML - Library Search - All 45 versions

Fast and secure distributed read-only **file system**   psu.edu [PDF]

K Fu, MF Kaashoek, D Mazieres - ACM Transactions on Computer ..., 2002 - portal.acm.org
... It verifies the signature on the **structure**, ensures that the start field is no older than its ... When the
client has the **directory** entry (README, handle), it calls getdata on handle to obtain ... 5.
APPLICATIONS To demonstrate the usefulness of the SFS read-only **file** system, we describe ...
Cited by 247 - Related articles - BL Direct - All 73 versions

Separating key management from **file** system security   psu.edu [PDF]

D Mazieres, M Kaminsky, MF Kaashoek, E ... - ACM SIGOPS ..., 1999 - portal.acm.org
... needs, we implemented a dialect of the SFS protocol that allows servers to prove the **contents**
of public ... One can in fact build an agent that generates self-certifying path- names from SSL
certificates ... The agent might intercept ev- ery request for a **file** name of the form /sfs/hostname ...
Cited by 324 - Related articles - BL Direct - All 57 versions

The use of **web structure** and **content** to identify subjectively interesting **web** usage patterns   inrialpes.fr [PDF]

R Cooley - ACM Transactions on Internet Technology (TOIT), 2003 - portal.acm.org
... Unless **XML** tags are used to add semantic **structure** to a **Web** site, the problem of ... certain steps
has changed dramatically as **Web** sites have moved from static **HTML** served directly ... Page view
identification determines which page **file** requests are part of the same page view and ...
Cited by 84 - Related articles - All 9 versions

[BOOK] More servlets and JavaServer pages

M Hall - 2001 - portal.acm.org
... It also gives details on every element in version 2.3 of the deployment **descriptor** (**web.xml**). ... author
tells you that the way you access servlets is by typing you application **directory** + /servlets/ + the ...
So you have to go and modify your **web.xml file**, which is not covered in the those ...
Cited by 320 - Related articles - All 11 versions

[BOOK] Java for the Web with Servlets, JSP, and EJB

B Kurniawan - 2002 - books.google.com
... Summary 481 19 **XML**-Based E-Books 483 The Table of **Contents** 484 Translating **XML** into the ...
that you experienced the time when a **web** site was no more than **HTML** pages. ... the location you
specify in the Uniform Resource Locator (URL).The computer where the **file** is stored ...
Cited by 100 - Related articles - Library Search - All 13 versions

Web mining for web personalization   psu.edu [PDF]

M Eirinaki, M Vazirgiannis - ACM Transactions on Internet ..., 2003 - portal.acm.org
... can be either data entities used within a **Web** page, such as **HTML** or **XML** tags, or ... interactions
within a site and contains data param- eters that allow the remote **HTML server** to keep a ... as users
give the necessary information for a food delivery or pickup, because **zip** code data ...
Cited by 431 - Related articles - All 31 versions

Method of providing internet pages by mapping telephone number provided by client to URL and returning the same in a
redirect command by **server**

DK Gifford... - US Patent 5,812,776, 1998 - Google Patents
... "**Content** in context: the future of **SGML** and **HTML** ... Re-enter password: 5. E-mail address 6. Your
birthdate (MM/DD/YY 7 US **zip** code, or country code **Zip** /postal code ... or a path, on the host
machine; and "page.**html**" is the **file** name with an indication that the **file** written in **HTML**. ...
Cited by 53 - Related articles

Xbase: Making your gigabyte disk queriable

H Lu, G Wang, G Yu, Y Bao, J Lv, Y Yu - Proceedings of the 2002 ..., 2002 - portal.acm.org
... The current version of XBase stores text-based **files**, including semi-structured data such as **XML**,
HTML, plain text documents (eg, tex **files**, computer programs) and ... A particular **file** can also be
viewed from the explorer. ... They can be accessed using **XML** query language, XQuery ...
Cited by 17 - Related articles - All 2 versions

Interoperable Web services for computational portals   psu.edu [PDF]

M Pierce, G Fox, C Youn, S Mock, K ... - ACM/IEEE 2002 ..., 2002 - ieeexplore.ieee.org
... Each component **web** page is contained in a table and the final composite **web** page is a collection
of nested **HTML** tables, each containing material loaded from the specified **content server** ... In
Jetspeed, this is done by editing an **XML** configuration **file** (local-portlets ...
Cited by 47 - Related articles - All 22 versions

☑ Create email alert

Gooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

Google scholar

setup web server by only one XML descriptor fi | Search |

Advanced Scholar Search
Scholar Preferences

Scholar | Articles and patents | | anytime | | include citations | ☒ Create email alert Results 1 - 10 of about 34,200. (0.27 sec)

Freenet: A distributed anonymous information storage and retrieval system

psu.edu [PDF]

I Clarke, O Sandberg, B Wiley, T Hong - Designing Privacy Enhancing ..., 2001 - Springer
... This is an approach also in common use on the world-wide **web**. 3.2 Retrieving Data ... This
reinforces the clustering of keys **set up** by the request mechanism. ... Individual Freenet node
operators can configure the amount of storage to dedicate to their datastores. ...
Cited by 2141 - Related articles - BL Direct - All 195 versions

Interoperable **Web** services for computational portals

psu.edu [PDF]

M Pierce, G Fox, C Youn, S Mock, K ... - ACM/IEEE 2002 ..., 2002 - ieeexplore.ieee.org
... This keytab must be kept secure and usually is readable **only** by privileged users. Thus we believe
that limiting the use of keytabs to a single, well secured **server** is desirable. ... system is illustrated
in Figure 2 and works as follows: a user logs in through a **web** browser and ...
Cited by 47 - Related articles - All 22 versions

Separating key management from **file** system security

psu.edu [PDF]

D Mazieres, M Kaminsky, MF Kaashoek, E ... - ACM SIGOPS ..., 1999 - portal.acm.org
... Establishing a secure **web server** with SSL involves signif- icant time, complexity, and cost. ... If the
admin- istrators of a site want to install some **server's** public key on the local hard disk of ... Thus,
one need not change a **file server's** public key preemptively for fear of future disclosure ...
Cited by 324 - Related articles - BL Direct - All 57 versions

[BOOK] Java servlet programming

J Hunter, W Crawford - 2001 - books.google.com
... What You Need to Know When we first started writing this book, we found to our surprise that
one of the ... Of course, external references **only** get you so far. ... read the book offline, you might want
to download the example code and a copy of the Apache Tomcat **web server** the next ...
Cited by 516 - Related articles - Library Search - All 8 versions

The design of Jemboss: a graphical user interface to EMBOSS

oxfordjournals.org [PDF]

T Carver, A Bleasby - Bioinformatics, 2003 - Oxford Univ Press
... It is possible to configure the **server** to use UNIX authen- tication (using the EMBOSS ajax library
described later). ... The Jemboss installation script also allows the **set-up** of a standalone version
of the interface. ... The Tomcat **server** and name of the **web** service is included in this **file** ...
Cited by 40 - Related articles - BL Direct - All 6 versions

[BOOK] More servlets and JavaServer pages

M Hall - 2001 - portal.acm.org

... It shows you how to configure your **server**, read form data and HTTP headers, handle cookies, track sessions, apply JSP scripting elements, use JavaBeans components ... So you have to go and modify your **web.xml file**, which is not covered in the those **set up** sesctions of the ...

Cited by 320 - Related articles - All 11 versions

[CITATION] Professional Java **server** programming J2EE 1.   subbu.org [PDF]

S Allamaraju, C Buest - 2007 - Dreamtech Press

Cited by 118 - Related articles - Library Search - All 6 versions

Network attached storage architecture   scu.edu [DOC]

GA Gibson, R Van Meter - Communications of the ACM, 2000 - portal.acm.org

... storage-appliance vendors concentrate on making each appliance as easy to configure as possible ... and manual management of aggregation is popular for providing information **content** over the **Web**. ... There are many ways to ensure that the **server** in such asymmetric systems ...

Cited by 275 - Related articles - BL Direct - All 7 versions

[BOOK] Java for the **Web** with Servlets, JSP, and EJB   psu.edu [PDF]

B Kurniawan - 2002 - books.google.com

... In tact, this is the **only** book that gives you all you need to know about Java **web** ... Tree 485 The Project 488 Pre-Render the Table of **Contents** 501 Summary 5iM 20 **Web**-Based Document ... 886 Servlet/JSP Containers 887 JDBC 887 JNDI 887 JMS 887 EJB 888 J2EE **Server** 888 H ...

Cited by 100 - Related articles - Library Search - All 13 versions

[BOOK] The java **web** services tutorial   psu.edu [PDF]

E Armstrong, S Bodoff, D Carson, M Fisher, D Green, K ... - 2002 - Citeseer

... The release described in this book may be protected by **one** or more US patents, foreign patents, or pending applica- tions. ... 115 Installing and Starting the Database **Server** 115 Populating the Database 116 Configuring the **Web** Application to Reference a Data Source 117 ...

Cited by 52 - Related articles - View as HTML - All 64 versions

☒ Create email alert

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

setup web server by only one XML d [Search]

Go to Google Home - About Google - About Google Scholar

Google scholar

setup web server by only one XML descriptor fi | Search |

Advanced Scholar Search
Scholar Preferences

Scholar | Articles and patents | | anytime | | include citations | ☑ Create email alert Results **11 - 20** of about **34,200**. (0.23 sec)

NPACI Rocks: Tools and techniques for easily deploying manageable linux clusters

psu.edu [PDF]

PM Papadopoulos, MJ Katz, G ... - ... Practice and Experience, 2003 - interscience.wiley.com
... Did I configure it correctly?' • 'When my script attempted to update 32 nodes ran, was node X ... This text **file contains** all the package names to install and 'post processing' commands. ... **XML** VERSION="1.0" STANDALONE="no"?> <KICKSTART> <**DESCRIPTION**>**Setup** the DHCP ...
Cited by 166 - Related articles - BL Direct - All 277 versions

[BOOK] Java programming with the SAP **Web** application **server**

sap-press.de [PDF]

K Kessler, P Tillert, P Dobrikov - 2005 - sap-press.de
... **Web** Application **Server**), and Miroslav Petrov (Chapter 12, Supportability of the SAP **Web** Application **Server** ... **up** and then develop a small example project in the infrastructure that we have **set up**. ... a few tasks that you must execute repeatedly during the first **setup** and throughout ...
Cited by 24 - Related articles - Library Search - All 10 versions

YouServ: a **web**-hosting and **content** sharing tool for the masses

psu.edu [PDF]

RJ Bayardo Jr, R Agrawal, D Gruhl, A ... - ... on World Wide **Web**, 2002 - portal.acm.org
... Others install firewall software because of general security concerns ... point of any peer node, which must authenticate itself before YouServ will **set up** the appropriate ... The communication protocols used in YouServ are DNS and HTTP (for supporting standard **web** browsers), and ...
Cited by 32 - Related articles - All 20 versions

The gateway computational **web** portal

ME Pierce, C Youn, GC Fox - ... and Computation: Practice ..., 2002 - interscience.wiley.com
... THE GATEWAY COMPUTATIONAL **WEB** PORTAL 1417 ... Clients contact and interact directly with the parent (root) **server only**, which acts as a naming service to forward ... A client contacting the parent **server** could then look up each of these children and thus have transparent ...
Cited by 37 - Related articles - BL Direct

[BOOK] Apache: the definitive guide

justpain.com [PDF]

B Laurie, P Laurie - 2002 - portal.acm.org
... You can safely say: "This book has everything you need to **set up** an apache **server**." Apache Cookbook: Solutions and Examples for ... Excellent book, cover unix and windows install and configuration. ... Sub-Categories: Internet/Online > Apache Internet/Online > **Web Server**. ...
Cited by 165 - Related articles - Library Search - All 37 versions

[PDF] The J2EE 1.4 Tutorial

psu.edu [PDF]

E Armstrong, J Ball, S Bodoff, DB Carson, I Evans, D ... - Sun Microsystems, 2003 - Citeseer
... 104 Defining a Data Source in the J2EE **Server** 105 Configuring the **Web** Application to Reference
a Data Source with JNDI 106 Mapping the **Web** Application JNDI Name to a Data Source 107 ...
Page 9. **CONTENTS** ix Generating **XML** from an Arbitrary Data **Structure** 275 ...
Cited by 79 - Related articles - View as HTML - All 23 versions

[PDF] Enterprise JavaBeans Technology   au.dk [PDF]
A Thomas, P Seybold - ... Seybold Group, White Paper prepared for ..., 1998 - wiki.daimi.au.dk
... **Web** application servers, such as BEA WebLogic, Bluestone Sapphire, IBM WebSphere, Netscape
Application **Server** ... A particular class of enterprise bean is assigned to **one** and **only one** EJB
container ... as a physical entity, such as a multithreaded process within an EJB **server**. ...
Cited by 92 - Related articles - View as HTML - All 23 versions

[PDF] Java servlet specification, V2. 2   hufs.ac.kr [PDF]
JD Davidson, D Coward - Final Release, December, 1999 - webs.hufs.ac.kr
... by copyright and the information described herein may be protected by **one** or more ... Specification
contains the proprietary and confidential information of Sun and may **only** be used ... **Web Server**
and Application **Server** vendors that want to provide Servlet Engines that conform ...
Cited by 38 - Related articles - View as HTML - All 3 versions

[PDF] Data mining for **web** intelligence   psu.edu [PDF]
J Han, KCC Chang - IEEE Computer, 2002 - Citeseer
... This data, which can include user browsing sequences from the **Web server's** buffer pages along
with ... or the possible spectrum of recommendations is too broad to **set up** a history ... would enhance
information extraction for the construction of a multilayered **Web** information base. ...
Cited by 75 - Related articles - View as HTML - BL Direct - All 35 versions

Assembling and enriching digital library collections   waikato.ac.nz [PDF]
D Bainbridge, J Thompson, IH ... - 2003 Joint Conference on ..., 2003 - ieeexplore.ieee.org
... **structure**, organization, and presentation of any particular collection are determined when the
collection is **set up**. ... Greenstone is so easy to install and run that, contrary to the assumptions we ...
the left are listed the various facets that the user can configure: Indexes, Subcollections ...
Cited by 40 - Related articles - All 12 versions

Create email alert

Goooooooooogle ▶

setup web server by only one XML [Search]

Google scholar | device automation apparatus with file index stru | Search

Scholar | Articles and patents | anytime | include citations | ☑ Create email alert Results **1 - 10** of about **5,260**. (**0.14** sec)

Method for extracting profiles and topics from a first **file** written in a first markup language and generating **files** in different markup languages containing the profiles and ...

CF Meske Jr, PJ Hooper, MR Opperman - US Patent 5,530,852, 1996 - Google Patents
... Mamrak et al., "Benifits of **Automating** Data Translation", IEEE, Jul./1993, pp ... **file** to remove articles & create directories 712 Postprocess directories & **files** to create homepage and expanded **index** 714 Update FreeWAIS indices No 706 Copy E-Mail to Working **File**, Yr-Day ...
Cited by 269 - Related articles

Data **file apparatus** for registering and retrieving data **files** in accordance with attribute information thereof

Y Kurosu, Y Yokoyama, H Masuzaki - US Patent 5,625,810, 1997 - Google Patents
... f ,000 to 200.000 images, there office **automation** (OA) **device** following word processors, lst a ... an to the present invention, the above data **file apparatus** optical disk **device**, **file** data can ... An embodiment of the data **file apparatus** of the present For registration or retrieval of image ...
Cited by 7 - Related articles

Method and **apparatus** for information management using an open hierarchical data **structure**

P Zellweger - US Patent 5,630,125, 1997 - Google Patents
... Page 17. 5,630,125 1 2 METHOD AND **APPARATUS** FOR to place orders. ... 15, exchange between the buyer and the seller by **automating** pp.71-80. ... Performance, Reading Mass.: Addison-Welsey, 1993 As mass storage **devices**, such as CD-ROM, become more "Sri* , *"? ...
Cited by 89 - Related articles

Method and **apparatus** for document management utilizing a messaging system

JE Porter, GL Brimhall, WM Crane, LP O' ... - US Patent App. 09/ ..., 1998 - Google Patents
... CONTENT ACCESS **FILE** SYSTEM AND SEARCH DOCUMENT ADDITIVE **INDEX** FOR DOCUMENT ... 29, 2002 METHOD AND **APPARATUS** FOR DOCUMENT MANAGEMENT UTILIZING A MESSAGING SYSTEM ... A **file** system 100 contains the document contents 110 which are ...
Cited by 12 - Related articles - All 4 versions

Methods and **apparatus** for automatically synchronizing electronic audio **files** with electronic text **files**

DE Heckerman, FA Alleva, RL Rounthwaite, D ... - US Patent ..., 2001 - Google Patents
... attempting to improve his/her reading skills may wish to listen to the audio version of a book while having text corresponding to the audio being presented highlighted on a display **device**. ... Accordingly, there is a need for methods and **apparatus** for **automating** the synchroniza ...
Cited by 10 - Related articles

Device, especially an automation apparatus, with a file index structure stored in files

T Talanis, F Volkmann - US Patent App. 10/524,782, 2003 - Google Patents

Patent Application Publication Nov. 17,2005 Sheet 4 of 4 US 2005/0256894 AI FIG 4 38 31 1
L u Lr -D a & 11- 32 ... US 2005/0256894 AI Nov. 17, 2005 **DEVICE**, ESPECIALLY AN **AUTOMATION**
APPARATUS, WITH A **FILE INDEX STRUCTURE STORED** IN **FILES** CROSS ...

All 3 versions

Method, apparatus and program storage device for providing real-time file system charge-back accounting per management object during a report cycle

JJ Seeger, JC Young - US Patent App. 11/294,165, 2005 - Google Patents

... The charge-back data is main- tained real time with **file** system activity to provide a more accurate
space ... 0036] The data processing **apparatus** 120 also ... Instead, such a client would desire access
to direct access storage **devices** or other more costly storage resources for all data ...

Method and apparatus for file searching, accessing file identifiers from reference page

T Rahman - US Patent 6,832,220, 2004 - Google Patents

... US 6,832,220 BI METHOD AND **APPARATUS** FOR **FILE** SEARCHING, ACCESSING **FILE**
IDENTIFIERS FROM REFERENCE PAGE ... For example, for web pages (or other displayable **files**),
the **file** contents can be displayed to the user in a window of a display **device** at client ...

Related articles

Data processing apparatus

P Burda, R Eneiling - US Patent App. 09/749,468, 2000 - Google Patents

... 1 illustrates a set top box incorporating data processing **apparatus** according to the invention,
during a recording of a program. ... An operating system 21 provides control of the **device** drivers
20. ... In order to get the next cluster of the **file**, this address is used as an **index** in the FAT. ...

Apparatus, method, program, and data structure for assisting placing order for manufacturing semiconductor device

T Chiba - US Patent App. 09/893,663, 2001 - Google Patents

... 10,2002 (54) **APPARATUS**, METHOD, PROGRAM, AND DATA **STRUCTURE** FOR ASSISTING
PLACING ... MAKERS ALREADY INTERFACED TAT PRICE L FIG.9 INTERFACE **FILE** 72 r R ...
EXPENSE)R SHARED WITH DEVELOPER RODUCE THE SAMPLE **DEVICE** W SAMPLE ...

✉ Create email alert

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

device automation apparatus with fil   Search

Google scholar

device automation apparatus with file index str | Search

Advanced Scholar Search
Scholar Preferences

Scholar | Articles and patents | | anytime | | include citations | ☒ Create email alert Results **11 - 20** of about **5,260**. (**0.13** sec)

Method and **apparatus** for data storage and interchange using a relational database table, and a data record for use in connection therewith

VL Alexander, JL Gaudet, LE Jordan, R ... - US Patent ..., 1995 - Google Patents
... "Multi-Vendor Information Interchange", D. Pistole, Office **Automation** Conference Digest ... 5,414,834
METHOD AND **APPARATUS** FOR DATA STORAGE AND INTERCHANGE USING A RELATIONAL ...
representations produced by a printer, display, or other input/output **device**. ...
Cited by 18 - Related articles

[PDF] Office **automation**

[PDF] xerox.com

RJ Spinrad - Science, 1982 - chester.xerox.com
... if the raster printer is located within about 50 meters of the user, the substantial advantages it
offers make it the output **device** of choice ... A scientist may want direct control of a tricky piece of
experimental **apparatus**. ... The fully functional office **automation** system does more than this. ...
Cited by 25 - Related articles - All 4 versions

Term-based methods and **apparatus** for access to **files** on shared storage **devices**

CJ Stakutis, W Haselton - US Patent 6,658,417, 2003 - Google Patents
... (57) ABSTRACT Methods and **apparatus** for accessing ... Technology and 5,577,240 A 11/1996
Demers et al 707/8 **File** Organization," Journal of Library **Automation** Vol. ... 711/113 Integrated
Device Electronics **File** Subsystem," IBM Tech- 5,812,754 A 9/1998 Lui et al 714/6 nical ...
Cited by 3 - Related articles

[PDF] Improving small **file** performance in object-based storage

[PDF] psu.edu

J Hendricks, RR Sambasivan, S Sinnamohideen, GR ... - 2006 - Citeseer
... of work- loads, despite the potential additional value of object-based storage for document
management [8, 26] and **automation** [11, 26 ... We require the storage **device** to verify that a version
number is greater than rather than equal to the version number ... 4 Experimental **Apparatus** ...
Cited by 7 - Related articles - View as HTML - All 9 versions

Methods and **apparatus** for automated true object-based image analysis and retrieval

JE Retterath, RA Laumeyer - US Patent 7,590,310, 2009 - Google Patents
... 15, 2009 (54; (75 (73 (* (21 (22 (65 (60 METHODS AND **APPARATUS** FOR AUTOMATED ...
Classification Search 382/190, 382/305; 707/3 See application **file** for complete ... Mandal,
Illumination Invariant Image **Indexing** Using Moments and Wavelets, Journal of Electronic Imaging ...
All 2 versions

Method and **apparatus** for providing multiple views of virtual documents

GT Brown, YN Doganata, Y Drissi, TH Fin, ... - US Patent App. 10/ ..., 2002 - Google Patents

... time a search engine is added, which limits the flexibility and the **automation** level of ... a program of machine-readable instructions executable by a digital processing **apparatus** to perform a ... 824, mouse 826, speaker 828, microphone 832, and/or other user interface **device** to the ...

Extended storage capacity for a network **file** server

TK Wong, P Tsirigotis, A Iyengar, R ... - US Patent App. 10/ ..., 2004 - Google Patents

... 24, 2003, entitled "Method and **Apparatus** for Transparent **File** Replication Using the Technique of ... personal digital assistants, game con- soles, televisions, set-top boxes, premises **automation** equip- ment ... 110 and the directory **file** server 120 are contained within a single **device**. ...

All 4 versions

Voice prompt generation using downloadable scripts

SO Belhaj - US Patent App. 11/113,523, 2005 - Google Patents

... OH, THIR, FIF, TEEN, HUNDRED, THOUSAND [0022] This allows for the **automation** of number enun ... prompt generation applications, in communication **devices** or other types of processor-based **devices**. ... What is claimed is: 1. An **apparatus** for generating voice prompts, the appa ...

## Method and **apparatus** for importing information from a network resource

DP Gardner, S Kaye, J Pierce - US Patent 6,701,352, 2004 - Google Patents

... 60 202 S 210 COHH PGH I 230 x WEB SERVER STORAGE **DEVICE** /-6B HTTP ... SUMMARY OF THE INVENTION The invention provides a method, **apparatus**, and com- puter program ... another aspect, the browser is driven by the local processing resource using OLE **Automation**. ...

Cited by 3 - Related articles

Apparatus for **automating** a stringed instrument

KB Caulkins, JM Caulkins - US Patent 6,166,307, 2000 - Google Patents

... 6,166,307 1 2 **APPARATUS** FOR **AUTOMATING** A sounding of the strings of a stringed musical ... The **automation** of the tension- ing of the strings is accomplished by a weighted tensioning linkage ... Individual **devices** 322-326 are respec- 45 lively associated with all of the strings. ...

Cited by 5 - Related articles

☒ Create email alert

◀ Goooooooooooogle ▶

Result Page: **Previous** 1 2 3 4 5 6 7 8 9 10 11   **Next**

| device automation apparatus with fil | Search |

Go to Google Home - About Google - About Google Scholar